



SHIPBA
SHANGHAI INTERNATIONAL
PRESTIGE BUSINESS AWARDS 2023

INSPIRE[®]
OFFICE SYSTEM

OKKO[®]



CONSUMERS' CHOICE AWARD
2022

CATALOGUE




YOUR WIRE MANAGEMENT SOLUTION

OKKO[®]




MODEL : **3 G O B**

3 GANG OKKO BOX

336mm (W) × 135mm (D) × 130mm (H)



**TABLE OPENING HOLE
SIZE :**




OKKO[®]

MODEL : **4 G O B**

**4 GANG
OKKO BOX**

436mm (W) × 135mm (D) × 130mm (H)




**TABLE OPENING HOLE
SIZE :**



416mm (W)

120mm (D)




OKKO[®]

MODEL : **6 G O B**

**6 GANG
OKKO BOX**

636mm (W) × 135mm (D) × 130mm (H)





**TABLE OPENING HOLE
SIZE :**



616mm (W)

120mm (D)



OKKO[®]

OKKO COVER

MODEL : **3OC - 3 GANG**







TABLE OPENING HOLE
SIZE :



MODEL : **4OC - 4 GANG**

TABLE OPENING HOLE
SIZE :



MODEL : **6OC - 6 GANG**






TABLE OPENING HOLE
SIZE :





MODEL : **RSC**

SNAKE CABLE ROUND

760mm (H) × 60mm (Dia)




MODEL : **SSC**

SNAKE CABLE SQUARE

760mm (H) × 60mm (Dia)

ACRYLIC PANEL PARTITION INS-AR

Thickness 5mm



MODEL	SIZE
INS-AR600	L600 x H300(mm)
INS-AR750	L750 x H300(mm)
INS-AR900	L900 x H300(mm)
INS-AR1200	L1200 x H300(mm)
INS-AR1500	L1500 x H300(mm)

PANEL BRACKET

Suitable For Thickness 5mm - 20mm



MODEL

INS- TOP BRACKET

INS- SINGLE SIDE BRACKET

INS- DOUBLE SIDE BRACKET

SCREW SIZE

**Screw size for acrylic = (5 mm) 16-20mm
(6 mm) 20-25mm**

Screw size for fabric panel = 20mm

INSPIRE[®]
OFFICE SYSTEM